

# CABLE SEALS

## INDICATIVE



### CARAT SEAL


An innovative polycarbonate meter seal with a two-part design for securing meters, containers, and installations. Its transparent body and locking insert allow visual inspection, ensuring tamper-evidence. Operational from -50°C to +120°C, it glows under UV light and offers unique laser-engraved serial numbers for reliability and security. (SKU:3.32.300.K.OR-GR)

---

ISO-Classification

Indicative

[Read More](#)



### FASTGRIP 380 A - BLACK WITH BARCODE

Pull-tight steel cable seal with anodized aluminum locking body, ideal for securing shipping containers and transport trucks. Features a 7-digit number and optional barcode or logo. Tamper-evident design; cable frays upon cutting. Removal requires bolt cutters. (SKU:3.10.331.D.BLACK)

---

ISO-Classification

High Security

[Read More](#)




## TACHOGRAPH SEAL BP 140-XL PK

A DIN EN 16882:2017 certified seal with enhanced tamper resistance. Its polyketon body and plastic-coated stainless steel wire offer robust security. Marked with an 8-digit alphanumeric number, QR code, and slide mechanism for secure locking. (SKU:3.19.066.D)

ISO-Classification

Indicative

[Read More](#)



## TACHOGRAPH SEAL BP 435

Certified to DIN EN 16882:2017, the BP 435 Tacho Seal features a PP copolymer body with a zinc die-cast locking mechanism. Its stainless steel wire ensures tamper resistance for tachograph security. Customizable options include wire length and colors. (SKU:3.19.050.D)

ISO-Classification

Indicative

[Read More](#)



## BP 110-XL TWISTER SEAL

This polycarbonate seal with a steel wire locks by winding the wire into the seal body via a twist axle. It features a 6-digit number and optional barcode or logo customization. Removal requires side cutters, and its integrated locking pawls prevent unwinding, ensuring tamper evidence. (SKU:3.19.010.D.BLUE)

ISO-Classification

Indicative

[Read More](#)



## GARDA N

A unique cable seal designed for vans, containers, and mailbags. The galvanized 1.6 mm cable is fixed with a rotating wing, protected by a plate to prevent tampering. Features a tamper-evident inspection window and optional RFID chip integration for enhanced tracking and security. (SKU:3.30.001.D.BLUE)

ISO-Classification

Indicative

[Read More](#)



## FLEXIGRIP 250 M"MINI"

(SKU:3.04.055.D.RED)

ISO-Classification

Security

[Read More](#)



## FLEXIGRIP 150 ZP

A durable cable seal with a zinc and ABS body. The adjustable loop is secured by threading the cable through the seal body and tightening. Features a standard 6-digit number, customizable options for logos, barcodes, and colors. Removal requires side cutters, and the NPC wire ensures tamper-evidence by fraying upon cutting. (SKU:3.04.030.D.WHITE)

ISO-Classification

Indicative

[Read More](#)



## MINIPLAS CABLE SEAL

The MiniPlas is a compact wire seal for securing trucks, boxes, and cages. It locks with an audible 'click' when the pin is inserted into the hexagonal body. Removal requires side cutters or scissors, ensuring tamper-evidence with robust locking and ease of application. (SKU:3.28.003.D.GREEN)

ISO-Classification

Indicative

[Read More](#)



## FLEXIGRIP 100 ZP

The FlexiGrip 100 ZP is a lightweight ABS plastic wire seal forming an adjustable loop. It features a 6-digit serial number with options for logos or barcodes. Removal requires cable cutters, and the NPC wire frays upon cutting to prevent reinsertion. Individual colors and wire lengths are available on request. (SKU:3.04.005.D.YELLOW)

ISO-Classification

Indicative

[Read More](#)




## NOTOX

Polyethylene seals for securing meters, bags, and emergency exits. Used with copper, plastic, or galvanized wire or hemp cord. Secures with a simple knot and sealing pliers. Available in two sizes and multiple colors. Customizable with logos or initials via an embossing stamp. (SKU:3.222.6.0)

ISO-Classification

Indicative

[Read More](#)



## ALUCAST WITH WIRE

Compact Alucast seal for securing meters, gaming machines, and ballot boxes. Made of aluminum with integrated galvanized steel wire. Fastens via sealing pliers, removable with wire cutters. (SKU:3.04.190.S)

ISO-Classification

Indicative

[Read More](#)



## LEAD SEAL WITH WIRE

Lead Seal secures meters, gaming machines, and ballot boxes. Made of lead, it can be used with various wires or hemp string. Fastens with a Seal Nipper and requires cutting tools for removal. (SKU:3.07.050.S.BLANK)

ISO-Classification

Indicative

[Read More](#)




## LEAD SEAL

Lead Seal for securing meters and ballot boxes. Use with wires or hemp string. Easily fastened with a Seal Nipper. Compatible with customized embossing options. Cutting tools required for removal. (SKU:3.07.010.S)

ISO-Classification

Indicative

[Read More](#)




## BP 110 TWISTER

BP 110 Twister pull-tight seal secures meters and ballot boxes. Features stainless steel cable and acrylic body with optional logo or barcode. Removal requires wire cutters. (SKU:3.19.009.D)

ISO-Classification

Indicative

[Read More](#)



## BP CABLE SEAL 100

BP Cable Seal 100 secures transport containers, barrels, and closures. Its aluminum body houses a durable locking mechanism. The steel cable forms a variable-length loop and includes a 6-digit number and barcode. NPC wire design ensures tamper-evidence by spreading open when cut. Removal requires a cable cutter. (SKU:3.23.010.D.RED)

ISO-Classification

Indicative

[Read More](#)



## BP CABLE SEAL 150

BP Cable Seal 150 offers secure sealing for containers and packages. Its NPC cable prevents re-tightening once cut, ensuring tamper-evidence. Features include an aluminum body, a 6-digit number, and barcode marking. Suitable for versatile applications, it forms a variable-length loop and requires a cable cutter for removal. (SKU:3.23.021.D.BLUE)

ISO-Classification

Indicative

[Read More](#)



## EZ LOC

EZ Loc cable seal secures tankers, containers, and airline closures. Zinc body and NPC wires prevent re-tampering after cutting. Customizable with barcodes, logos, or specific numbering. Removal requires cable cutters. (SKU:3.01.059.D)

ISO-Classification

Indicative

[Read More](#)



## FLEXIGRIP 100 S

The FlexiGrip 100 S is ideal for securing transport containers, tank trucks, and barrels. It features a steel locking mechanism in a colored ABS plastic body. Laser-marked with a letter and 6-digit number, it offers customizable options. Cut wires fray to prevent reinsertion, enhancing security. Removal requires a cable cutter. (SKU:3.04.009.D)

ISO-Classification

Indicative

[Read More](#)



## FLEXIGRIP 150 M

Perfect for securing vehicles, containers, and airline closures, the FlexiGrip 150 M has a steel cable and anodized aluminum lock. It includes a 6-digit sequential number with optional customizations. The cut cable frays to ensure tamper resistance. A cable cutter is required for removal. (SKU:3.04.029.D)

ISO-Classification

Indicative

[Read More](#)



## FLEXIGRIP 150 S

The FlexiGrip 150 S secures transport and catering containers with its ABS plastic body. It features a 6-digit number under a clear cover, with customizable options. Its wire forms an adjustable loop and frays when cut, ensuring tamper-proofing. Requires a cable cutter for removal. (SKU:3.04.019.D)

---

[Read More](#)



## FLEXIGRIP 350 M - CUSTOMS SEAL

Certified for customs use, the FlexiGrip 350 M ensures high security for facilitated shipping. Its adjustable loop and tamper-evident wire meet ISO standards. Customizations include barcodes and logos. Removal requires cable shears or cutters. (SKU:3.04.068.D.RED)

---

ISO-Classification

High Security

[Read More](#)



## MINILOC

The Miniloc is a pull-tight seal for securing box trucks, tank dome lids, and closures. A steel cable forms an adjustable loop secured with a break-off screw for tamper-proofing. Customizable with a 6-digit number and up to 3 characters, the Miniloc frays when cut, preventing reinsertion. Ideal for heavy-duty applications requiring strong, reliable seals. (SKU:3.01.130.D)

---

[Read More](#)



# SECURITY



## FLEXIGRIP 250 M"MINI"

(SKU:3.04.055.D.RED)

ISO-Classification

Security

[Read More](#)



## BP CABLE SEAL 250

BP Cable Seal 250 provides tamper-evident security for transport and catering containers. The NPC cable design ensures wires spring open when cut, preventing reuse. Includes a 6-digit number and barcode on the anodized aluminum body. Forms variable loops for flexibility. Removal is done using cable cutters. (SKU:3.23.030.D.RED)

[Read More](#)



## FLEXIGRIP 250 M

Suitable for transport containers and box trucks, the FlexiGrip 250 M has an aluminum lock and customizable markings. Its cable forms a secure loop that frays when cut, ensuring it cannot be reused. Removal is easy with a cable cutter. (SKU:3.04.059.D)

[Read More](#)



## HIGH SECURITY



### FASTGRIP 380 A - BLACK WITH BARCODE


Pull-tight steel cable seal with anodized aluminum locking body, ideal for securing shipping containers and transport trucks. Features a 7-digit number and optional barcode or logo. Tamper-evident design; cable frays upon cutting. Removal requires bolt cutters. (SKU:3.10.331.D.BLACK)

---

ISO-Classification

High Security

[Read More](#)



### FLEXIGRIP 400 M


This high-security seal features a 4 mm steel cable and anodized aluminum body. It offers over 1500 kg tensile strength for robust sealing of transport containers. Customizable with logos, barcodes, and cable lengths, the seal ensures tamper-evidence with its NPC wire fraying upon cutting. (SKU:3.04.080.D.BLUE)

---

ISO-Classification

High Security

[Read More](#)



## BP CABLE SEAL 350

BP Cable Seal 350 secures containers, trucks, and catering units. Its NPC steel cable prevents reuse once cut, offering tamper-evident reliability. Aluminum body includes markings with 6-digit numbers and barcodes. The seal forms a loop and must be tightened during application. Removal requires cable cutters. (SKU:3.23.041.D.BLUE)

---

[Read More](#)



## BP CABLE SEAL 500

BP Cable Seal 500 ensures high security for transport containers and trucks. With an aluminum body and NPC steel cable, it resists tampering by spreading wires when cut. Includes 6-digit numbering and barcodes. Forms variable-length loops for versatile applications. Removal is easy using a cable cutter. (SKU:3.23.050.D.RED)

---

[Read More](#)



## FASTGRIP 380 A

The high security FastGrip 380 A pull-tight seal is especially suited to securing shipping containers, box trucks, railway wagons and other large transport containers.

The FastGrip 380 A is a high security pull-tight seal with a steel cable. The locking mechanism is housed in a coloured, anodized aluminium body. (SKU:3.10.330.D.RED)

---

[Read More](#)



## FASTGRIP 500 A

The high security FastGrip 500 A pull-tight seal is especially suited to securing shipping containers, box trucks, railway wagons and other large transport containers.

The FastGrip 500 A is a high security pull-tight seal with a steel cable. The locking mechanism is housed in a coloured, anodized aluminium body. (SKU:3.10.160.D.BLUE)

ISO-Classification

High Security

[Read More](#)



## FLEXIGRIP 350 M

ISO-certified, the FlexiGrip 350 M is ideal for sea containers and wagons. Its 3.5 mm cable offers tamper-evidence by fraying when cut. The anodized aluminum body can be customized with logos or barcodes. Removal requires shears or cutters. (SKU:3.04.069.D)

ISO-Classification

High Security

[Read More](#)



## FLEXIGRIP 350 M - CUSTOMS SEAL

Certified for customs use, the FlexiGrip 350 M ensures high security for facilitated shipping. Its adjustable loop and tamper-evident wire meet ISO standards. Customizations include barcodes and logos. Removal requires cable shears or cutters. (SKU:3.04.068.D.RED)

ISO-Classification

High Security

[Read More](#)



## FLEXIGRIP 500 M

Designed for heavy-duty use, the FlexiGrip 500 M secures sea containers with a 5 mm cable that frays when cut. Its anodized aluminum lock supports customization. Meets high-security requirements and ensures tamper-evidence. Removal requires a cable cutter. (SKU:3.04.099.D)

---

ISO-Classification

High Security

[Read More](#)