

METAL STRAP SEALS



Galvanized Steel Strap Seals

Strong, thin-profile seals for securing narrow slots, suitable for truck/container locks, TIR cable fittings, tankers, canvas-sided trucks, and multiple sealing points.



BEDNORZ SEAL

Bednorz Seal - Versatile and Secure The Bednorz Seal is designed for securing TIR cable end pieces, tarpaulin trucks, box trucks, rail wagons, tankers, containers, and various packages. Made from matt galvanized sheet steel, it offers high tamper-resistance with a one-piece design. The Bednorz Extension allows for variable lengths and adapts to small sealing openings. It features secure closure with a "click" sound and custom marking options. Removal requires a side cutter, ensuring tamper-proof security. Ideal for transportation, logistics, and security-sensitive cargo.

Selling units: 100 pieces

(SKU:3.00.001.M.BLANK)

[html_block id="730"]

ISO-Classification

Indicative

[Read More](#)



BEDNORZ BARCODED 128 SEAL

The Bednorz metal band seal is a highly secure, tamper-resistant solution made from matt-galvanized sheet steel. Designed for versatility, it can be cut to length and used with the Bednorz extension as an adapter for small openings. Its one-piece construction prevents reassembly, and a secure closure mechanism—audible with a “click”—ensures tamper-evidence by leaving no room for tool manipulation. Standard markings include a letter and 7-digit serial number, with optional text embossing or laser-inscribed barcodes. For removal, a side cutter is required, ensuring both security and integrity in transport or storage.

Selling Unit: 100 seals (SKU:3.00.002.M.BC)

[html_block id="730"]

[Read More](#)



BEDNORZ CUSTOMS SEAL

Durable Bednorz Seal for securing trucks, containers, and packages. Tamper-resistant steel build with optional customization. Requires side cutter for removal. (SKU:3.00.100.M.BLANK)

[html_block id="730"]

[Read More](#)



TYDEN SEAL

A tin-plated steel seal for TIR rope ends, containers, and other packages. Its narrow width fits small seal openings. Identified by an embossed letter and 6-digit number, with options for short text. Forms a fixed ring when locked and requires a cutter for removal. (SKU:3.01.029.M)

[html_block id="730"]

ISO-Classification

Security

[Read More](#)