

# TABLE OF CONTENTS

**Bolt Seals** ..... 2

**Cable Seals** ..... 5

    Indicative ..... 5

    Security ..... 13

    High Security ..... 15

**Cable Ties** ..... 19

**Container Seals** ..... 22

**Metal Strap Seals** ..... 31

**Meter Seals** ..... 34

**Packaging Unit Seals** ..... 41

**Plastic Seals** ..... 46

    Drum Seals ..... 46

    Fixed Length Seals ..... 47

    Pad Lock Seals ..... 50

**Security Labels** ..... 51

**Accessories** ..... 55

**Customized Seals** ..... 59

# BOLT SEALS



## BP CARGO BOLT - CONTAINER SEAL

### BP Cargo Bolt Seal

The BP Cargo Bolt Seal, compliant with ISO 17712 'H' standards, secures sea containers, box trucks, rail wagons, and other large transport containers. Made from plastic-coated steel, it features an anti-spin function to resist tampering. Each seal is uniquely numbered with a letter and a 6-digit code, lasered onto the bolt for added security. Removal requires a bolt cutter, ensuring robust protection for your cargo.

Sales Units: 100 (SKU:3.23.001.B.YELLOW)

---

ISO-Classification

High Security

[Read More](#)



## BP CARGO BOLT WITH BARCODE 128

ISO 17712-certified bolt seal designed for securing sea containers, box trucks, and rail wagons. Made of plastic-coated steel with anti-spin functionality for tamper resistance. Features a 6-digit consecutive number and barcode. Removal requires a bolt cutter.

Sales unit: 100 seals (SKU:3.23.005.B)

---

ISO-Classification

High Security

[Read More](#)



## IP SEAL - CUSTOMISED

Certified to ISO PAS 17712:2013/C-TPAT, this high-security bolt seal secures sea containers, box trucks, railcars, and other transport containers. Its Anti-Spin Safety (ASS) mechanism offers exceptional tamper resistance. Both the bolt and locking chamber are marked with a matching prefix and 6-digit number for added security.

Sales units of 250 pices (SKU:3.04.410.B.YELLOW)

[Read More](#)



## BOLT SEAL - LOCKTAINER 2000 SH WITH BARCODE

High-security bolt seals for containers, trucks, and rail wagons. Available in 70.80 mm and 83.50 mm lengths with anti-spin technology to prevent tampering. Customizable with barcodes, logos, or text, these seals feature laser-marked numbering for enhanced security. (SKU:3.04.130.B.YELLOW\_BC)

ISO-Classification

High Security

[Read More](#)




## LOCKTAINER 2000 SHC

A high-security bolt seal designed for tight spaces, featuring a bent steel bolt without plastic coating. Standard marking includes a letter and 6-digit number, with customization options available. Secures transport containers effectively and can only be removed with a bolt cutter.

Sales units of 100 units (SKU:3.04.149.B)

[Read More](#)



## LOCKTAINER 2000 SHR-C

Straight, uncoated steel bolt seal for high-security applications in transport containers. Features a customizable housing with consecutive numbering, barcodes, or logos. Provides tamper-evident sealing and requires a bolt cutter for removal, ensuring maximum protection. (SKU:3.04.319.B)

---

ISO-Classification

High Security

[Read More](#)



## IP SEAL

**IP Seal High-Security Bolt Seal:** Engineered for securing shipping containers, trucks, and rail wagons, this seal features an anti-spin locking mechanism with molded plastic-coated steel components. Marked with matching 6-digit numbers, it offers customizable barcodes and logos, ensuring tamper-evident, high-strength security. (SKU:3.04.401.B)

---

ISO-Classification

High Security

[Read More](#)

# CABLE SEALS

## INDICATIVE



### CARAT SEAL


An innovative polycarbonate meter seal with a two-part design for securing meters, containers, and installations. Its transparent body and locking insert allow visual inspection, ensuring tamper-evidence. Operational from -50°C to +120°C, it glows under UV light and offers unique laser-engraved serial numbers for reliability and security. (SKU:3.32.300.K.OR-GR)

---

ISO-Classification

Indicative

[Read More](#)



### FASTGRIP 380 A - BLACK WITH BARCODE

Pull-tight steel cable seal with anodized aluminum locking body, ideal for securing shipping containers and transport trucks. Features a 7-digit number and optional barcode or logo. Tamper-evident design; cable frays upon cutting. Removal requires bolt cutters. (SKU:3.10.331.D.BLACK)

---

ISO-Classification

High Security

[Read More](#)




## TACHOGRAPH SEAL BP 140-XL PK

A DIN EN 16882:2017 certified seal with enhanced tamper resistance. Its polyketon body and plastic-coated stainless steel wire offer robust security. Marked with an 8-digit alphanumeric number, QR code, and slide mechanism for secure locking. (SKU:3.19.066.D)

ISO-Classification

Indicative

[Read More](#)



## TACHOGRAPH SEAL BP 435

Certified to DIN EN 16882:2017, the BP 435 Tacho Seal features a PP copolymer body with a zinc die-cast locking mechanism. Its stainless steel wire ensures tamper resistance for tachograph security. Customizable options include wire length and colors. (SKU:3.19.050.D)

ISO-Classification

Indicative

[Read More](#)



## BP 110-XL TWISTER SEAL

This polycarbonate seal with a steel wire locks by winding the wire into the seal body via a twist axle. It features a 6-digit number and optional barcode or logo customization. Removal requires side cutters, and its integrated locking pawls prevent unwinding, ensuring tamper evidence. (SKU:3.19.010.D.BLUE)

ISO-Classification

Indicative

[Read More](#)



## GARDA N

A unique cable seal designed for vans, containers, and mailbags. The galvanized 1.6 mm cable is fixed with a rotating wing, protected by a plate to prevent tampering. Features a tamper-evident inspection window and optional RFID chip integration for enhanced tracking and security. (SKU:3.30.001.D.BLUE)

ISO-Classification

Indicative

[Read More](#)



## FLEXIGRIP 250 M"MINI"

(SKU:3.04.055.D.RED)

ISO-Classification

Security

[Read More](#)



## FLEXIGRIP 150 ZP

A durable cable seal with a zinc and ABS body. The adjustable loop is secured by threading the cable through the seal body and tightening. Features a standard 6-digit number, customizable options for logos, barcodes, and colors. Removal requires side cutters, and the NPC wire ensures tamper-evidence by fraying upon cutting. (SKU:3.04.030.D.WHITE)

ISO-Classification

Indicative

[Read More](#)



## MINIPLAS CABLE SEAL

The MiniPlas is a compact wire seal for securing trucks, boxes, and cages. It locks with an audible 'click' when the pin is inserted into the hexagonal body. Removal requires side cutters or scissors, ensuring tamper-evidence with robust locking and ease of application. (SKU:3.28.003.D.GREEN)

ISO-Classification

Indicative

[Read More](#)



## FLEXIGRIP 100 ZP

The FlexiGrip 100 ZP is a lightweight ABS plastic wire seal forming an adjustable loop. It features a 6-digit serial number with options for logos or barcodes. Removal requires cable cutters, and the NPC wire frays upon cutting to prevent reinsertion. Individual colors and wire lengths are available on request. (SKU:3.04.005.D.YELLOW)

ISO-Classification

Indicative

[Read More](#)



## NOTOX


Polyethylene seals for securing meters, bags, and emergency exits. Used with copper, plastic, or galvanized wire or hemp cord. Secures with a simple knot and sealing pliers. Available in two sizes and multiple colors. Customizable with logos or initials via an embossing stamp. (SKU:3.222.6.0)

ISO-Classification

Indicative

[Read More](#)





## ALUCAST WITH WIRE

Compact Alucast seal for securing meters, gaming machines, and ballot boxes. Made of aluminum with integrated galvanized steel wire. Fastens via sealing pliers, removable with wire cutters. (SKU:3.04.190.S)

ISO-Classification

Indicative

[Read More](#)



## LEAD SEAL WITH WIRE

Lead Seal secures meters, gaming machines, and ballot boxes. Made of lead, it can be used with various wires or hemp string. Fastens with a Seal Nipper and requires cutting tools for removal. (SKU:3.07.050.S.BLANK)

ISO-Classification

Indicative

[Read More](#)




## LEAD SEAL

Lead Seal for securing meters and ballot boxes. Use with wires or hemp string. Easily fastened with a Seal Nipper. Compatible with customized embossing options. Cutting tools required for removal. (SKU:3.07.010.S)

ISO-Classification

Indicative

[Read More](#)




## BP 110 TWISTER

BP 110 Twister pull-tight seal secures meters and ballot boxes. Features stainless steel cable and acrylic body with optional logo or barcode. Removal requires wire cutters. (SKU:3.19.009.D)

ISO-Classification

Indicative

[Read More](#)



## BP CABLE SEAL 100

BP Cable Seal 100 secures transport containers, barrels, and closures. Its aluminum body houses a durable locking mechanism. The steel cable forms a variable-length loop and includes a 6-digit number and barcode. NPC wire design ensures tamper-evidence by spreading open when cut. Removal requires a cable cutter. (SKU:3.23.010.D.RED)

ISO-Classification

Indicative

[Read More](#)



## BP CABLE SEAL 150

BP Cable Seal 150 offers secure sealing for containers and packages. Its NPC cable prevents re-tightening once cut, ensuring tamper-evidence. Features include an aluminum body, a 6-digit number, and barcode marking. Suitable for versatile applications, it forms a variable-length loop and requires a cable cutter for removal. (SKU:3.23.021.D.BLUE)

ISO-Classification

Indicative

[Read More](#)



## EZ LOC

EZ Loc cable seal secures tankers, containers, and airline closures. Zinc body and NPC wires prevent re-tampering after cutting. Customizable with barcodes, logos, or specific numbering. Removal requires cable cutters. (SKU:3.01.059.D)

ISO-Classification

Indicative

[Read More](#)



## FLEXIGRIP 100 S

The FlexiGrip 100 S is ideal for securing transport containers, tank trucks, and barrels. It features a steel locking mechanism in a colored ABS plastic body. Laser-marked with a letter and 6-digit number, it offers customizable options. Cut wires fray to prevent reinsertion, enhancing security. Removal requires a cable cutter. (SKU:3.04.009.D)

ISO-Classification

Indicative

[Read More](#)



## FLEXIGRIP 150 M

Perfect for securing vehicles, containers, and airline closures, the FlexiGrip 150 M has a steel cable and anodized aluminum lock. It includes a 6-digit sequential number with optional customizations. The cut cable frays to ensure tamper resistance. A cable cutter is required for removal. (SKU:3.04.029.D)

ISO-Classification

Indicative

[Read More](#)



## FLEXIGRIP 150 S

The FlexiGrip 150 S secures transport and catering containers with its ABS plastic body. It features a 6-digit number under a clear cover, with customizable options. Its wire forms an adjustable loop and frays when cut, ensuring tamper-proofing. Requires a cable cutter for removal. (SKU:3.04.019.D)

---

[Read More](#)



## FLEXIGRIP 350 M - CUSTOMS SEAL

Certified for customs use, the FlexiGrip 350 M ensures high security for facilitated shipping. Its adjustable loop and tamper-evident wire meet ISO standards. Customizations include barcodes and logos. Removal requires cable shears or cutters. (SKU:3.04.068.D.RED)

---

ISO-Classification

High Security

[Read More](#)



## MINILOC

The Miniloc is a pull-tight seal for securing box trucks, tank dome lids, and closures. A steel cable forms an adjustable loop secured with a break-off screw for tamper-proofing. Customizable with a 6-digit number and up to 3 characters, the Miniloc frays when cut, preventing reinsertion. Ideal for heavy-duty applications requiring strong, reliable seals. (SKU:3.01.130.D)

---

[Read More](#)

# SECURITY



## FLEXIGRIP 250 M"MINI"

(SKU:3.04.055.D.RED)

ISO-Classification

Security

[Read More](#)



## BP CABLE SEAL 250

BP Cable Seal 250 provides tamper-evident security for transport and catering containers. The NPC cable design ensures wires spring open when cut, preventing reuse. Includes a 6-digit number and barcode on the anodized aluminum body. Forms variable loops for flexibility. Removal is done using cable cutters. (SKU:3.23.030.D.RED)

[Read More](#)




## FLEXIGRIP 250 M

Suitable for transport containers and box trucks, the FlexiGrip 250 M has an aluminum lock and customizable markings. Its cable forms a secure loop that frays when cut, ensuring it cannot be reused. Removal is easy with a cable cutter. (SKU:3.04.059.D)

[Read More](#)



## HIGH SECURITY



### FASTGRIP 380 A - BLACK WITH BARCODE

Pull-tight steel cable seal with anodized aluminum locking body, ideal for securing shipping containers and transport trucks. Features a 7-digit number and optional barcode or logo. Tamper-evident design; cable frays upon cutting. Removal requires bolt cutters. (SKU:3.10.331.D.BLACK)

---

ISO-Classification

High Security

[Read More](#)



### FLEXIGRIP 400 M

This high-security seal features a 4 mm steel cable and anodized aluminum body. It offers over 1500 kg tensile strength for robust sealing of transport containers. Customizable with logos, barcodes, and cable lengths, the seal ensures tamper-evidence with its NPC wire fraying upon cutting. (SKU:3.04.080.D.BLUE)

---

ISO-Classification

High Security

[Read More](#)




## BP CABLE SEAL 350

BP Cable Seal 350 secures containers, trucks, and catering units. Its NPC steel cable prevents reuse once cut, offering tamper-evident reliability. Aluminum body includes markings with 6-digit numbers and barcodes. The seal forms a loop and must be tightened during application. Removal requires cable cutters. (SKU:3.23.041.D.BLUE)

---

[Read More](#)



## BP CABLE SEAL 500

BP Cable Seal 500 ensures high security for transport containers and trucks. With an aluminum body and NPC steel cable, it resists tampering by spreading wires when cut. Includes 6-digit numbering and barcodes. Forms variable-length loops for versatile applications. Removal is easy using a cable cutter. (SKU:3.23.050.D.RED)

---

[Read More](#)



## FASTGRIP 380 A


The high security FastGrip 380 A pull-tight seal is especially suited to securing shipping containers, box trucks, railway wagons and other large transport containers.

The FastGrip 380 A is a high security pull-tight seal with a steel cable. The locking mechanism is housed in a coloured, anodized aluminium body. (SKU:3.10.330.D.RED)

---

[Read More](#)





## FASTGRIP 500 A

The high security FastGrip 500 A pull-tight seal is especially suited to securing shipping containers, box trucks, railway wagons and other large transport containers.

The FastGrip 500 A is a high security pull-tight seal with a steel cable. The locking mechanism is housed in a coloured, anodized aluminium body. (SKU:3.10.160.D.BLUE)

ISO-Classification

High Security

[Read More](#)




## FLEXIGRIP 350 M

ISO-certified, the FlexiGrip 350 M is ideal for sea containers and wagons. Its 3.5 mm cable offers tamper-evidence by fraying when cut. The anodized aluminum body can be customized with logos or barcodes. Removal requires shears or cutters. (SKU:3.04.069.D)

ISO-Classification

High Security

[Read More](#)



## FLEXIGRIP 350 M - CUSTOMS SEAL

Certified for customs use, the FlexiGrip 350 M ensures high security for facilitated shipping. Its adjustable loop and tamper-evident wire meet ISO standards. Customizations include barcodes and logos. Removal requires cable shears or cutters. (SKU:3.04.068.D.RED)

ISO-Classification

High Security

[Read More](#)



## FLEXIGRIP 500 M

Designed for heavy-duty use, the FlexiGrip 500 M secures sea containers with a 5 mm cable that frays when cut. Its anodized aluminum lock supports customization. Meets high-security requirements and ensures tamper-evidence. Removal requires a cable cutter. (SKU:3.04.099.D)

---

ISO-Classification

High Security

[Read More](#)

# CABLE TIES



## CABLE TIE WITH FLAG

### Cable Ties with Flags - Versatile Security Solution


Cable ties with flags are ideal for securing sacks, bags, and containers, including money and valuables containers or roll cages. The tie is easily secured by pushing the tip through the locking mechanism and tightening as needed. The long flag can be printed with a consecutive number, barcode, logo, or short text for easy identification. Removal requires a simple cutting tool. Suitable for use in boxes and containers, lattice trolleys, and sacks across sectors like banking, valuables transport, chemistry/pharmaceutical, airlines, post/courier service, and transportation. (SKU:3.04.610.K.BLUE)

---

ISO-Classification

Indicative

[Read More](#)



## CABLE TIE, DETECTABLE

Specifically designed for sensitive environments like food and pharmaceutical industries, these detectable cable ties minimize contamination risks. Made from Polyamide 6.6, they are identifiable by metal detectors and X-ray machines. With a temperature range of -20°C to +65°C, they offer durability, reliability, and easy removal using a simple cutting tool. Available in various sizes. (SKU:3.31.400.KD.0)

---

[Read More](#)



## CABLE TIES, REUSABLE

Eco-friendly reusable cable ties with a unique release tab for easy adjustments and multiple uses. Made from durable Polyamide 6.6, they offer reliable performance and tensile strength. Perfect for dynamic workflows in electrical setups or production, these ties promote sustainability by reducing plastic waste and cost. (SKU:3.08.070.K.BLUE)

---

[Read More](#)




## CABLE TIE 4,8 X 200 MM

Durable Polyamide 6.6 cable ties for industrial bundling and fastening. Measuring 4.8 mm x 200 mm, they offer toughness, environmental resistance, and recyclability. Available in gray or brown, these ties are cost-efficient, supplied in packs of 100, and easily removable with cutting tools for flexibility and convenience. (SKU:3.08.031.K.BRAUN)

---

[Read More](#)



## BLITZBINDER (3.5 / 120MM) - STANDARD

Red Blitzbinder is reusable, eco-friendly, and adjustable. Ideal for bundling cables, securing bags, and agricultural use. Made from polyethylene, resistant to chemicals and weather. (SKU:3.17.010.K.RED)

---

ISO-Classification

Indicative

[Read More](#)



## CABLE TIE

Cable ties are versatile for bundling cables, closing bags, and securing tarpaulins. Made of durable polyamide, they are available in various colors and lengths. Optional labels with sequential numbering add identification capabilities. A simple cutting tool is needed for removal, making them effective and reusable for various applications. (SKU:3.08.069.K)

---

[Read More](#)

# CONTAINER SEALS



## BEDNORZ SEAL

**Bednorz Seal - Versatile and Secure** The Bednorz Seal is designed for securing TIR cable end pieces, tarpaulin trucks, box trucks, rail wagons, tankers, containers, and various packages. Made from matt galvanized sheet steel, it offers high tamper-resistance with a one-piece design. The Bednorz Extension allows for variable lengths and adapts to small sealing openings. It features secure closure with a "click" sound and custom marking options. Removal requires a side cutter, ensuring tamper-proof security. Ideal for transportation, logistics, and security-sensitive cargo.

Selling units: 100 pieces

(SKU:3.00.001.M.BLANK)

[html\_block id="730"]

ISO-Classification

Indicative

[Read More](#)



## BP CARGO BOLT - CONTAINER SEAL

### BP Cargo Bolt Seal

The BP Cargo Bolt Seal, compliant with ISO 17712 'H' standards, secures sea containers, box trucks, rail wagons, and other large transport containers. Made from plastic-coated steel, it features an anti-spin function to resist tampering. Each seal is uniquely numbered with a letter and a 6-digit code, lasered onto the bolt for added security. Removal requires a bolt cutter, ensuring robust protection for your cargo

Sales Units: 100 (SKU:3.23.001.B.YELLOW)

ISO-Classification

High Security

[Read More](#)



## CABLE TIE 4,8 X 200 MM

Durable Polyamide 6.6 cable ties for industrial bundling and fastening. Measuring 4.8 mm x 200 mm, they offer toughness, environmental resistance, and recyclability. Available in gray or brown, these ties are cost-efficient, supplied in packs of 100, and easily removable with cutting tools for flexibility and convenience. (SKU:3.08.031.K.BRAUN)

[Read More](#)



## PLASTIC PULL-TIGHT SEAL - ARROW SEAL V3

A tamper-evident pull-tight seal with a fluorescent cap for UV light verification and an 8-digit serial number. Features detachable numbered labels for document use. The self-locking stainless steel mechanism prevents unauthorized access. Ideal for securing premises, vehicles, containers, and safes in transportation and banking. (SKU:3.32.200.K.GREEN)

ISO-Classification

Indicative

[Read More](#)



## ARROW SEAL

Pull-tight polypropylene security seals with fluorescent protective caps for UV light verification. Large flags offer space for serial numbers, logos, and barcodes, while the stainless steel locking mechanism ensures tamper-evidence. Ideal for securing premises, vehicles, containers, and luggage in transportation, agriculture, and banking. (SKU:3.32.001.K)

ISO-Classification

Indicative

[Read More](#)



## CARAT SEAL

An innovative polycarbonate meter seal with a two-part design for securing meters, containers, and installations. Its transparent body and locking insert allow visual inspection, ensuring tamper-evidence. Operational from -50°C to +120°C, it glows under UV light and offers unique laser-engraved serial numbers for reliability and security. (SKU:3.32.300.K.OR-GR)

ISO-Classification

Indicative

[Read More](#)



## BP CARGO BOLT WITH BARCODE 128

ISO 17712-certified bolt seal designed for securing sea containers, box trucks, and rail wagons. Made of plastic-coated steel with anti-spin functionality for tamper resistance. Features a 6-digit consecutive number and barcode. Removal requires a bolt cutter.

Sales unit: 100 seals (SKU:3.23.005.B)

ISO-Classification

High Security

[Read More](#)



## BTO SEAL

A durable, adjustable pull-tight seal made from HDPE and Acetal, the BTO Seal is ideal for industries requiring temperature-resistant solutions. Its patented tool-free removal feature and pull-tight design make it reliable for various applications. (SKU:3.01.653.K.BLUE)

ISO-Classification

High Security

[Read More](#)





## BEDNORZ BARCODED 128 SEAL

The Bednorz metal band seal is a highly secure, tamper-resistant solution made from matt-galvanized sheet steel. Designed for versatility, it can be cut to length and used with the Bednorz extension as an adapter for small openings. Its one-piece construction prevents reassembly, and a secure closure mechanism—audible with a “click”—ensures tamper-evidence by leaving no room for tool manipulation. Standard markings include a letter and 7-digit serial number, with optional text embossing or laser-inscribed barcodes. For removal, a side cutter is required, ensuring both security and integrity in transport or storage.

Selling Unit: 100 seals (SKU:3.00.002.M.BC)

[html\_block id="730"]

[Read More](#)



## BC-SECURITY LABEL - CUSTOM SEAL

These tamper-evident labels meet German Customs standards and include a consignor's unique code number. They adhere to clean, smooth surfaces like lacquered metal, wood, and glass. Upon removal, they reveal 'OPEN VOID.' Provided on rolls, these labels are consecutively numbered and designed for seamless application. (SKU:3.29.001.K.RED)

ISO-Classification

Indicative

[Read More](#)



## BEDNORZ CUSTOMS SEAL

Durable Bednorz Seal for securing trucks, containers, and packages. Tamper-resistant steel build with optional customization. Requires side cutter for removal. (SKU:3.00.100.M.BLANK)

[html\_block id="730"]

[Read More](#)



## BP 560

BP 560 fixed length seal secures trucks, containers, and doors. Polypropylene strap creates a fixed loop when locked. Supports barcodes, logos, or text. Can be removed by hand or with a simple cutter. (SKU:3.19.802.K)

ISO-Classification

Indicative

[Read More](#)



## BP CABLE SEAL 100

BP Cable Seal 100 secures transport containers, barrels, and closures. Its aluminum body houses a durable locking mechanism. The steel cable forms a variable-length loop and includes a 6-digit number and barcode. NPC wire design ensures tamper-evidence by spreading open when cut. Removal requires a cable cutter. (SKU:3.23.010.D.RED)

ISO-Classification

Indicative

[Read More](#)



## BP CABLE SEAL 150

BP Cable Seal 150 offers secure sealing for containers and packages. Its NPC cable prevents re-tightening once cut, ensuring tamper-evidence. Features include an aluminum body, a 6-digit number, and barcode marking. Suitable for versatile applications, it forms a variable-length loop and requires a cable cutter for removal. (SKU:3.23.021.D.BLUE)

---

ISO-Classification

Indicative

[Read More](#)



## BP CABLE SEAL 250

BP Cable Seal 250 provides tamper-evident security for transport and catering containers. The NPC cable design ensures wires spring open when cut, preventing reuse. Includes a 6-digit number and barcode on the anodized aluminum body. Forms variable loops for flexibility. Removal is done using cable cutters. (SKU:3.23.030.D.RED)

---

[Read More](#)



## BP CABLE SEAL 350

BP Cable Seal 350 secures containers, trucks, and catering units. Its NPC steel cable prevents reuse once cut, offering tamper-evident reliability. Aluminum body includes markings with 6-digit numbers and barcodes. The seal forms a loop and must be tightened during application. Removal requires cable cutters. (SKU:3.23.041.D.BLUE)

---

[Read More](#)



## BP CABLE SEAL 500

BP Cable Seal 500 ensures high security for transport containers and trucks. With an aluminum body and NPC steel cable, it resists tampering by spreading wires when cut. Includes 6-digit numbering and barcodes. Forms variable-length loops for versatile applications. Removal is easy using a cable cutter. (SKU:3.23.050.D.RED)

[Read More](#)



## EZ LOC

EZ Loc cable seal secures tankers, containers, and airline closures. Zinc body and NPC wires prevent re-tampering after cutting. Customizable with barcodes, logos, or specific numbering. Removal requires cable cutters. (SKU:3.01.059.D)

ISO-Classification

Indicative

[Read More](#)



## BOLT SEAL - LOCKTAINER 2000 SH WITH BARCODE

High-security bolt seals for containers, trucks, and rail wagons. Available in 70.80 mm and 83.50 mm lengths with anti-spin technology to prevent tampering. Customizable with barcodes, logos, or text, these seals feature laser-marked numbering for enhanced security. (SKU:3.04.130.B.YELLOW\_BC)

ISO-Classification

High Security

[Read More](#)




## LOCKTAINER 2000 SHC

A high-security bolt seal designed for tight spaces, featuring a bent steel bolt without plastic coating. Standard marking includes a letter and 6-digit number, with customization options available. Secures transport containers effectively and can only be removed with a bolt cutter.

Sales units of 100 units (SKU:3.04.149.B)

---

[Read More](#)



## LOCKTAINER 2000 SHR-C

Straight, uncoated steel bolt seal for high-security applications in transport containers. Features a customizable housing with consecutive numbering, barcodes, or logos. Provides tamper-evident sealing and requires a bolt cutter for removal, ensuring maximum protection. (SKU:3.04.319.B)

---

ISO-Classification

High Security

[Read More](#)



## TYDEN SEAL

A tin-plated steel seal for TIR rope ends, containers, and other packages. Its narrow width fits small seal openings. Identified by an embossed letter and 6-digit number, with options for short text. Forms a fixed ring when locked and requires a cutter for removal. (SKU:3.01.029.M)

---

[html\_block id="730"]

ISO-Classification

Security

[Read More](#)



## ALFA MK2/M2/MD

**Alfa Pull-Tight Seal:** Designed for versatile security applications, the Alfa seal secures bags, containers, trucks, and roll cages. Made of durable polypropylene with a steel locking mechanism, it features sequential numbering, barcoding, and a slim 2mm tail for small openings. Easy to apply and remove using a cutting tool. (SKU:3.24.013.K.RED)

---

ISO-Classification

Indicative

[Read More](#)

## METAL STRAP SEALS



### Galvanized Steel Strap Seals

Strong, thin-profile seals for securing narrow slots, suitable for truck/container locks, TIR cable fittings, tankers, canvas-sided trucks, and multiple sealing points.

### BEDNORZ SEAL



**Bednorz Seal - Versatile and Secure** The Bednorz Seal is designed for securing TIR cable end pieces, tarpaulin trucks, box trucks, rail wagons, tankers, containers, and various packages. Made from matt galvanized sheet steel, it offers high tamper-resistance with a one-piece design. The Bednorz Extension allows for variable lengths and adapts to small sealing openings. It features secure closure with a "click" sound and custom marking options. Removal requires a side cutter, ensuring tamper-proof security. Ideal for transportation, logistics, and security-sensitive cargo.

Selling units: 100 pieces

(SKU:3.00.001.M.BLANK)

---

[html\_block id="730"]

ISO-Classification

Indicative

[Read More](#)



## BEDNORZ BARCODED 128 SEAL

The Bednorz metal band seal is a highly secure, tamper-resistant solution made from matt-galvanized sheet steel. Designed for versatility, it can be cut to length and used with the Bednorz extension as an adapter for small openings. Its one-piece construction prevents reassembly, and a secure closure mechanism—audible with a “click”—ensures tamper-evidence by leaving no room for tool manipulation. Standard markings include a letter and 7-digit serial number, with optional text embossing or laser-inscribed barcodes. For removal, a side cutter is required, ensuring both security and integrity in transport or storage.

Selling Unit: 100 seals (SKU:3.00.002.M.BC)

---

[html\_block id="730"]

[Read More](#)



## BEDNORZ CUSTOMS SEAL

Durable Bednorz Seal for securing trucks, containers, and packages. Tamper-resistant steel build with optional customization. Requires side cutter for removal. (SKU:3.00.100.M.BLANK)

---

[html\_block id="730"]

[Read More](#)





## TYDEN SEAL

A tin-plated steel seal for TIR rope ends, containers, and other packages. Its narrow width fits small seal openings. Identified by an embossed letter and 6-digit number, with options for short text. Forms a fixed ring when locked and requires a cutter for removal. (SKU:3.01.029.M)

[html\_block id="730"]

ISO-Classification

Security

[Read More](#)



## METER SEALS



### MAGNET SEAL

Antimagnetic tamper-evident sticker seal with a suspension that changes pattern upon magnetic field exposure. Features a visible 'OPENED' message if tampered with. Unique serial numbers on sticker and capsule ensure security. Used for gas, water, and electricity meters by regulatory authorities for monitoring and maintenance.

Sales Unit: 500 seals (SKU:3.32.300.K.RED)

ISO-Classification

Indicative

[Read More](#)




### CARAT SEAL

An innovative polycarbonate meter seal with a two-part design for securing meters, containers, and installations. Its transparent body and locking insert allow visual inspection, ensuring tamper-evidence. Operational from -50°C to +120°C, it glows under UV light and offers unique laser-engraved serial numbers for reliability and security. (SKU:3.32.300.K.OR-GR)

ISO-Classification

Indicative

[Read More](#)



## PL 17

Polypropylene seal with a 1.4 mm tail and steel locking mechanism, ideal for water meters and textile labeling. Features a 6-digit sequential number, customizable text, or logo. Can be tightened manually and removed by hand or with a cutting tool.

Sales unit: 1000 seals (SKU:3.02.370.K)

ISO-Classification

Indicative

[Read More](#)



## BP 110-XL TWISTER SEAL

This polycarbonate seal with a steel wire locks by winding the wire into the seal body via a twist axle. It features a 6-digit number and optional barcode or logo customization. Removal requires side cutters, and its integrated locking pawls prevent unwinding, ensuring tamper evidence. (SKU:3.19.010.D.BLUE)

ISO-Classification

Indicative

[Read More](#)



## NOTOX

Polyethylene seals for securing meters, bags, and emergency exits. Used with copper, plastic, or galvanized wire or hemp cord. Secures with a simple knot and sealing pliers. Available in two sizes and multiple colors. Customizable with logos or initials via an embossing stamp. (SKU:3.222.6.0)

ISO-Classification

Indicative

[Read More](#)




## ALUCAST

The Alucast seal is a secure aluminum seal for meters, machines, and containers. Featuring galvanized steel wire and a crimped closure, it's available in two sizes. Alucast offers reliable sealing for high-security applications, removable with wire cutters. (SKU:3.04.200.S)

ISO-Classification

Indicative

[Read More](#)



## ALUCAST WITH WIRE

Compact Alucast seal for securing meters, gaming machines, and ballot boxes. Made of aluminum with integrated galvanized steel wire. Fastens via sealing pliers, removable with wire cutters. (SKU:3.04.190.S)

ISO-Classification

Indicative

[Read More](#)



## LEAD SEAL WITH WIRE

Lead Seal secures meters, gaming machines, and ballot boxes. Made of lead, it can be used with various wires or hemp string. Fastens with a Seal Nipper and requires cutting tools for removal. (SKU:3.07.050.S.BLANK)

ISO-Classification

Indicative

[Read More](#)



## LEAD SEAL

Lead Seal for securing meters and ballot boxes. Use with wires or hemp string. Easily fastened with a Seal Nipper. Compatible with customized embossing options. Cutting tools required for removal. (SKU:3.07.010.S)

ISO-Classification

Indicative

[Read More](#)



## BP 110 TWISTER

BP 110 Twister pull-tight seal secures meters and ballot boxes. Features stainless steel cable and acrylic body with optional logo or barcode. Removal requires wire cutters. (SKU:3.19.009.D)

ISO-Classification

Indicative

[Read More](#)



## CRALU

Cralu roll-up seal secures mail and valuables containers using wire or hemp cord. Made of aluminum, it requires coding pliers for closure. Used with copper, galvanized steel, or plastic wires. Ideal for reliable tamper-evidence in various applications. (SKU:3.03.130.M.BLANK)

ISO-Classification

Indicative

[Read More](#)



## SEAL NIPPER PLIERS

Specialized pliers for closing lead, Notox, and Alucast seals around wires or hemp cords. Available in three sizes, with optional embossing dies for logos or initials. Ensures a secure and tamper-evident seal, perfect for securing meters, containers, and critical assets. (SKU:3.12.001)

---

[Read More](#)



## SEALING CLAMPS

Durable polycarbonate clamps protect meter connection nuts on gas and water meters. Designed for use with PL 95 ring seals for added security. Easy to install and reusable after removing the seal. Ensures tamper-evident sealing for utility fittings. (SKU:3.02.270.K)

---

ISO-Classification

Indicative

[Read More](#)



## BP 570


BP 570 pull-tight seal secures meters and textile tags. Available in nylon or polypropylene with a steel locking mechanism. Ideal for hard-to-reach areas and narrow openings. Supports barcodes or logos. Nylon version requires cutting tools for removal. (SKU:3.19.709.K)

---

ISO-Classification

Indicative

[Read More](#)




## BP 571

BP 571 pull-tight seal secures meters, gas cylinders, and textile tags. Features a polypropylene strap with a steel locking mechanism. Supports barcodes or logos and can be removed with cutting tools. (SKU:3.19.719.K)

ISO-Classification

Indicative

[Read More](#)



## SEALING WIRE CUT LENGTHS

Pre-cut sealing wires in galvanized or plastic-coated steel, ideal for use with lead seals, Notox, and Cralu. Available in 25 cm (steel) or 30 cm (plastic-coated) lengths, bundled in packs of 1000 for easy handling. Designed to secure meters, containers, and fittings with reliable tamper-evident protection. (SKU:3.07.110)

ISO-Classification

Indicative

[Read More](#)



## HEMP CORD

Hemp cord for use with lead seals, Notox, and Cralu. Supplied on rolls, the cord can be cut to the required length for applications. Ensures tamper-proof sealing for meters, ballot boxes, and valuables containers. Easy to handle and adaptable to various security needs. (SKU:3.16.010)

ISO-Classification

Indicative

[Read More](#)



## SEALING WIRE - ROLL

Sealing Wire, used with Lead Seal, Notox, and Cralu, is available in rolls of copper, galvanized steel, or plastic. It offers flexibility in length and ensures secure applications for sealing. Ideal for various industries needing customizable, durable wire solutions. (SKU:3.07.070)

---


ISO-Classification

Indicative

[Read More](#)



# PACKAGING UNIT SEALS




## RESIDUE-FREE SECURITY LABEL

Non-residue adhesive labels ideal for securing parcels and sensitive surfaces. Includes a 7-digit number and optional barcode. Leaves no marks upon removal, making them perfect for reusable applications. Suitable for wood, glass, and metal. (SKU:3.11.110.K)

ISO-Classification

Indicative

[Read More](#)



## SECURITY LABEL - RESIDUE

Adhesive labels designed to protect parcels, boxes, and devices. Features a 7-digit number and optional barcode. When tampered with, the "OPEN VOID" message appears, leaving residue on the surface for tamper evidence. Easy application on smooth, clean surfaces. (SKU:3.11.210.K)

ISO-Classification

Indicative

[Read More](#)



## CROSS WING

Secure 13 mm wide strapping to packages and pallets with the Cross Wing. Place under crossed straps, fold the wings shut, and punch with long-hole pliers for sealing. Compatible with various seals, it adds an extra layer of tamper resistance and durability for secure transport. (SKU:3.00.070.S)

ISO-Classification

Indicative

[Read More](#)



## BC-SECURITY LABEL - CUSTOM SEAL

These tamper-evident labels meet German Customs standards and include a consignor's unique code number. They adhere to clean, smooth surfaces like lacquered metal, wood, and glass. Upon removal, they reveal 'OPEN VOID.' Provided on rolls, these labels are consecutively numbered and designed for seamless application. (SKU:3.29.001.K.RED)

ISO-Classification

Indicative

[Read More](#)



## CROSS SEAL - CUSTOMS SEAL

The Cross Seal secures 6 mm to 13 mm straps for customs compliance, meeting German Customs' strict standards. The seal is closed by operating a slider and locks with an audible click. Customization options include logos, text, or barcodes. Removal involves cutting the straps. Available in a standard version for non-customs use. (SKU:3.24.110.K.WHITE)

ISO-Classification

Indicative

[Read More](#)



## CROSS SEAL

Cross Seal protects packages from tampering. It secures strapping up to 12 mm wide, with identical numbered parts for easy identification. Optional logo or barcode customization is available for bulk orders. Removal requires cutting the straps. (SKU:3.24.100.K.WHITE)

ISO-Classification

Indicative

[Read More](#)



## PLASTIC BUCKLE

Plastic buckles are designed for securing 13 mm wide PP straps, suitable for small to medium-weight goods. They provide a reliable fastening solution, ensuring security and stability for packaged items. Simple and efficient, these buckles are ideal for a wide range of packaging applications. (SKU:3.812.0.000)

[Read More](#)



## LABEL LOCK - RESIDUE

Label Lock security labels secure packages, boxes, and electronics, offering tamper evidence with their 'OPENED' marking when removed. Available in residue and non-residue options, each label is consecutively numbered and customizable. Ideal for securing crime scenes and protecting sensitive items. (SKU:3.15.009.K)

ISO-Classification

Indicative

[Read More](#)



## LABEL LOCK NON-RESIDUE WITH DUAL NUMBER TAG

Label Lock non-residue labels with control sections provide a tamper-evident solution for securing packages, boxes, new car and airplane doors, computers, and crime scenes. They attach securely to various surfaces without leaving residue. Consecutively numbered, they include a control section for easy tracking, preventing errors or unauthorized access. (SKU:3.15.159.K)

---

ISO-Classification

Indicative

[Read More](#)



## **LABEL LOCK NON-RESIDUE.**

Versatile non-residue security labels ideal for securing packages, boxes, doors, computers, and crime scenes. They attach to various surfaces like wood and metal without leaving residue. Consecutively numbered, they display "OPENED" upon removal, providing clear tamper evidence that cannot be reversed or concealed. (SKU:3.15.039.K)

---

ISO-Classification

Indicative

[Read More](#)



## **POLYPROPYLENE STRAPPING**

High-quality polypropylene strapping for securing packages and pallets. Available in 13 mm and 16 mm sizes. Requires a single-lever strapping tool and sealing clips for fastening. Compatible with slot pliers for adding security seals to enhance tamper protection. (SKU:3.14.010)

---

ISO-Classification

Indicative

[Read More](#)




## LABEL LOCK SECURITY TAPE

Reliable security tape for packaging and air cargo. Adheres securely to dirt-free surfaces, leaving a visible "OPENED" message when removed. Perforated every 150 mm with consecutive numbering for tracking. Perfect for maintaining secure supply chains but may leave residue on certain surfaces. (SKU:3.03.320.K)

ISO-Classification

Indicative

[Read More](#)



## SNAP-N-SECURE

Snap-N-Secure is a polycarbonate strapping seal designed to prevent unauthorized access. Secures the strap's locking sleeve and is easy to apply without tools. Break points ensure tamper evidence. Features identical numbering on both parts and allows customization for enhanced security. (SKU:3.26.001.K.KLAR)

[Read More](#)



## PACKAGING STRAPPING SEAL CLIP

Metal clips secure polypropylene strapping for packages or pallets. The roughened inner surface ensures a tight grip. Compatible with 13 mm and 16 mm straps. Requires a strapping tool for tensioning and sealing. Slot punching is recommended for additional security. (SKU:3.809.0.)

ISO-Classification

Indicative

[Read More](#)

# PLASTIC SEALS

## DRUM SEALS



### BP 510

Ideal for securing drums and tote boxes, the 510 security seal is easy to apply and lies flat on containers, preventing dislodgement when containers are stacked or knocked together. Its design ensures durability and stability for secure applications. (SKU:3.19.620.K.GREEN)

---

[Read More](#)



### POLYWEDGE - BLUE

Wedge-shaped seal secures tension rings on barrels and drums. Fits sealing openings 15.0-16.5 mm wide and 3.0-3.5 mm deep. Provides tamper resistance without labels. Simple yet effective for securing transport containers. (SKU:3.03.123.K.BLUE)

---

ISO-Classification

Indicative

[Read More](#)

## FIXED LENGTH SEALS



### BP 560

BP 560 fixed length seal secures trucks, containers, and doors. Polypropylene strap creates a fixed loop when locked. Supports barcodes, logos, or text. Can be removed by hand or with a simple cutter. (SKU:3.19.802.K)

---

ISO-Classification

Indicative

[Read More](#)



### PL 95

The PL 95 is a ring seal for box trucks, cupboards, and doors. Made of polyethylene with a temperature-resistant locking mechanism, it forms a fixed-diameter ring when secured. Customizable with barcodes, logos, or text, it features a 6-digit number for identification. Simple to use and remove with a cutting tool, it ensures reliable security. (SKU:3.02.169.K)

---

ISO-Classification

Security

[Read More](#)



## PL 95 FOR SEALING CLAMPS

This PL 95 version is tailored for gas and water fittings, used with sealing clamps on connection nuts. Made of polyethylene with a robust locking mechanism, it forms a fixed-diameter ring. It offers 6-digit numbering, barcodes, or logos for customization. Easily applied and removed with a cutting tool, it ensures secure sealing for utility meters. (SKU:3.02.189.K)

ISO-Classification

Security

[Read More](#)



## RING SEAL (185 MM)

The Ring Seal is ideal for securing soft-sided trucks, TIR cables, locks, and container doors. Made of polypropylene, it features a 6-digit sequential number and optional customization with logos, barcodes, or short text. The seal forms a fixed-diameter ring when closed and can be easily removed with a cutting tool. (SKU:3.04.500.K.RED)

ISO-Classification

Security

[Read More](#)



## SUPER STRAP

A durable polypropylene fixed-length ring seal designed for securing box trucks, containers, and various doors. Includes a 7-digit sequential number with options for a logo or short text. The seal forms a fixed diameter ring and can be removed with simple cutting tools. (SKU:3.01.271.K.RED)

ISO-Classification

Indicative

[Read More](#)





## SYDEX

A polypropylene seal for securing TIR rope ends, truck locks, and container doors. Features a 6-digit number with optional barcode, logo, or text. The marking is applied on the tail. Easy to apply and remove, with a designed break point allowing manual removal. (SKU:3.03.009.K)


---

ISO-Classification

Indicative

[Read More](#)

## PAD LOCK SEALS




### DARTLOCK

Dartlock lock seal secures valuables in containers and tote boxes. Made of lightweight polypropylene, it features a 7-digit number and is customizable with logos or barcodes. The break point allows for easy removal by hand, and its small size fits narrow sealing points. (SKU:3.03.049.K)

ISO-Classification

Indicative

[Read More](#)



### PADLOCK

This padlock-style seal is perfect for securing valuables containers, briefcases, and meter boxes. Made of polypropylene with a steel hasp, it locks securely with a click. Features a 6-digit number, with options for barcodes or text. Lightweight yet durable, it ensures reliable sealing and requires wire cutters for removal. (SKU:3.03.099.K)

ISO-Classification

Indicative

[Read More](#)

# SECURITY LABELS



## MAGNET SEAL

Antimagnetic tamper-evident sticker seal with a suspension that changes pattern upon magnetic field exposure. Features a visible 'OPENED' message if tampered with. Unique serial numbers on sticker and capsule ensure security. Used for gas, water, and electricity meters by regulatory authorities for monitoring and maintenance.


Sales Unit: 500 seals (SKU:3.32.300.K.RED)

---

ISO-Classification

Indicative

[Read More](#)



## RESIDUE-FREE SECURITY LABEL


Non-residue adhesive labels ideal for securing parcels and sensitive surfaces. Includes a 7-digit number and optional barcode. Leaves no marks upon removal, making them perfect for reusable applications. Suitable for wood, glass, and metal. (SKU:3.11.110.K)

---

ISO-Classification

Indicative

[Read More](#)



## SECURITY LABEL - RESIDUE

Adhesive labels designed to protect parcels, boxes, and devices. Features a 7-digit number and optional barcode. When tampered with, the "OPEN VOID" message appears, leaving residue on the surface for tamper evidence. Easy application on smooth, clean surfaces. (SKU:3.11.210.K)

ISO-Classification

Indicative

[Read More](#)



## BC-SECURITY LABEL - CUSTOM SEAL

These tamper-evident labels meet German Customs standards and include a consignor's unique code number. They adhere to clean, smooth surfaces like lacquered metal, wood, and glass. Upon removal, they reveal 'OPEN VOID.' Provided on rolls, these labels are consecutively numbered and designed for seamless application. (SKU:3.29.001.K.RED)

ISO-Classification

Indicative

[Read More](#)



## LABEL LOCK - RESIDUE

Label Lock security labels secure packages, boxes, and electronics, offering tamper evidence with their 'OPENED' marking when removed. Available in residue and non-residue options, each label is consecutively numbered and customizable. Ideal for securing crime scenes and protecting sensitive items. (SKU:3.15.009.K)

ISO-Classification

Indicative

[Read More](#)



## LABEL LOCK NON-RESIDUE WITH DUAL NUMBER TAG

Label Lock non-residue labels with control sections provide a tamper-evident solution for securing packages, boxes, new car and airplane doors, computers, and crime scenes. They attach securely to various surfaces without leaving residue. Consecutively numbered, they include a control section for easy tracking, preventing errors or unauthorized access. (SKU:3.15.159.K)

ISO-Classification

Indicative

[Read More](#)



## LABEL LOCK NON-RESIDUE.

Versatile non-residue security labels ideal for securing packages, boxes, doors, computers, and crime scenes. They attach to various surfaces like wood and metal without leaving residue. Consecutively numbered, they display "OPENED" upon removal, providing clear tamper evidence that cannot be reversed or concealed. (SKU:3.15.039.K)

ISO-Classification

Indicative

[Read More](#)



## LABEL LOCK SECURITY TAPE

Reliable security tape for packaging and air cargo. Adheres securely to dirt-free surfaces, leaving a visible "OPENED" message when removed. Perforated every 150 mm with consecutive numbering for tracking. Perfect for maintaining secure supply chains but may leave residue on certain surfaces. (SKU:3.03.320.K)

ISO-Classification

Indicative

[Read More](#)



## BROWN SECURITY TAPE

Security tape secures packages, boxes, and shrink-wrapped pallets, meeting AEO and CTPAT standards. It resembles conventional tape but reveals 'OPEN' in multiple languages when removed, leaving a non-reversible film. Ideal for tamper evidence, though residue may be challenging to remove from surfaces. (SKU:3.03.300.K.BRAUN)

---

ISO-Classification

Indicative

[Read More](#)

# ACCESSORIES



## TIR CABLE - 22 METER

Customs-approved TIR cables meet international transport standards. Made of durable steel with a PVC coating, these cables feature high-quality laser-marked sealing ends. Available in 22m and 34m lengths, suitable for goods transported under TIR regulations. (SKU:3.04.170.S)

---

[Read More](#)



## BEDNORZ PROTECTOR K

Bednorz Protector K ensures safety during bolt seal removal by preventing flying debris. Holds severed parts securely, avoiding accidents and damage. (SKU:3.00.200.S)

---

[Read More](#)



## BEDNORZ-EXTENSION

Tyden Tie/Extension enables use of metal strap seals in wide-spaced sealing points. 3.8 mm steel strap with slotted holes. Ideal for various seals. (SKU:3.00.010)

---

[Read More](#)



## CRALU CODING PLIERS

Coding Nipper fastens Cralu roll-tag seals by winding the seal around wires or cords. It embosses initials or logos on the seal front, ensuring customization for identification. Custom dies are available upon request for personalized embossing. (SKU:3.03.160.S)

---

[Read More](#)



## ONE PIECE STRAPPING TOOL

One Piece Strapping Tool is designed to hold polyethylene straps and fasten steel sealing sleeves. Suitable for 13 mm or 16 mm straps, it requires Slot Punch Pliers to create holes for secure strap fastening. (SKU:3.12.020)

---

[Read More](#)



## PLASTIC BUCKLE

Plastic buckles are designed for securing 13 mm wide PP straps, suitable for small to medium-weight goods. They provide a reliable fastening solution, ensuring security and stability for packaged items. Simple and efficient, these buckles are ideal for a wide range of packaging applications. (SKU:3.812.0.000)

---

[Read More](#)





## LONG HANDLED SLOT PUNCHING PLIERS

Specialized pliers for punching oblong holes in strapping clips, enabling tamper-evident security seals on strapped packages. Compatible with all metal tape seals, they ensure robust and reliable protection for sealed goods, enhancing the security of transported items. (SKU:3.00.060.S)

---

[Read More](#)



## SEAL NIPPER PLIERS

Specialized pliers for closing lead, Notox, and Alucast seals around wires or hemp cords. Available in three sizes, with optional embossing dies for logos or initials. Ensures a secure and tamper-evident seal, perfect for securing meters, containers, and critical assets. (SKU:3.12.001)

---

[Read More](#)



## SEALING CLAMPS

Durable polycarbonate clamps protect meter connection nuts on gas and water meters. Designed for use with PL 95 ring seals for added security. Easy to install and reusable after removing the seal. Ensures tamper-evident sealing for utility fittings. (SKU:3.02.270.K)

---

ISO-Classification

Indicative

[Read More](#)



## HEMP CORD

Hemp cord for use with lead seals, Notox, and Cralu. Supplied on rolls, the cord can be cut to the required length for applications. Ensures tamper-proof sealing for meters, ballot boxes, and valuables containers. Easy to handle and adaptable to various security needs. (SKU:3.16.010)

---

ISO-Classification

Indicative

[Read More](#)



## SEALING WIRE CUT LENGTHS

Pre-cut sealing wires in galvanized or plastic-coated steel, ideal for use with lead seals, Notox, and Cralu. Available in 25 cm (steel) or 30 cm (plastic-coated) lengths, bundled in packs of 1000 for easy handling. Designed to secure meters, containers, and fittings with reliable tamper-evident protection. (SKU:3.07.110)

---

ISO-Classification

Indicative

[Read More](#)



## SEALING WIRE - ROLL

Sealing Wire, used with Lead Seal, Notox, and Cralu, is available in rolls of copper, galvanized steel, or plastic. It offers flexibility in length and ensures secure applications for sealing. Ideal for various industries needing customizable, durable wire solutions. (SKU:3.07.070)

---

ISO-Classification

Indicative

[Read More](#)

## CUSTOMIZED SEALS



### UNIVERSAL SEAL - YELLOW - 160MM - CUSTOMIZED

The Universal pull-tight seal is reliable for securing containers, bags, and lattice boxes. Its steel locking mechanism and small tail make it versatile, while its optional labels enhance traceability. A 7-digit number and customizable prints make it ideal for valuables. Removal is easy with a cutter, ensuring convenience without compromising security.

(SKU:3.11.001.K.YELLOW+BC.CUST)

---

ISO-Classification

Indicative

[Read More](#)

# INDEX

## A

Alfa MK2/M2/MD 29  
Alucast 35  
Alucast with wire 8, 35  
Arrow Seal 22

## B

BC-Security Label - Custom Seal 24, 41, 51  
Bednorz Barcoded 128 Seal 24, 31  
Bednorz Customs Seal 25, 31  
Bednorz Protector K 54  
Bednorz Seal 21, 30  
Bednorz-Extension 54  
Blitzbinder (3.5 / 120mm) - Standard 19  
Bolt Seal - Locktainer 2000 SH with Barcode 2, 27  
BP 110 Twister 9, 36  
BP 110-XL Twister Seal 5, 34  
BP 510 45  
BP 560 25, 46  
BP 570 37  
BP 571 38  
BP Cable Seal 100 9, 25  
BP Cable Seal 150 9, 26  
BP Cable Seal 250 12, 26  
BP Cable Seal 350 15, 26  
BP Cable Seal 500 15, 27  
BP Cargo Bolt - Container Seal 1, 21  
BP Cargo Bolt with Barcode 128 1, 23  
Brown Security Tape 53  
BTO Seal 23

## C

Cable Tie 20  
Cable Tie 4,8 x 200 mm 19, 22  
Cable Tie with Flag 18  
Cable tie, detectable 18  
Cable Ties, reusable 19  
Carat Seal 4, 23, 33  
Cralu 36  
Cralu Coding Pliers 55  
Cross Seal 41  
Cross Seal - Customs Seal 41  
Cross Wing 40

## D

Dartlock 49

## E

EZ Loc 10, 27

## **F**

FastGrip 380 A 15  
FastGrip 380 A - Black with Barcode 4, 14  
FastGrip 500 A 16  
FlexiGrip 100 S 10  
FlexiGrip 100 ZP 7  
FlexiGrip 150 M 10  
FlexiGrip 150 S 11  
FlexiGrip 150 ZP 6  
FlexiGrip 250 M 12  
FlexiGrip 250 M"mini" 6, 12  
FlexiGrip 350 M 16  
FlexiGrip 350 M - Customs Seal 11, 16  
FlexiGrip 400 M 14  
FlexiGrip 500 M 17

## **G**

GARDA N 6

## **H**

Hemp cord 38, 57

## **I**

IP Seal 3  
IP Seal - Customised 2

## **L**

Label Lock - Residue 42, 51  
Label Lock Non-Residue with dual number tag 42, 52  
Label Lock non-residue. 43, 52  
Label Lock Security Tape 44, 52  
Lead Seal 8, 36  
Lead Seal with wire 8, 35  
Locktainer 2000 SHC 2, 28  
Locktainer 2000 SHR-C 3, 28  
Long handled slot punching pliers 56

## **M**

Magnet Seal 33, 50  
Miniloc 11  
Miniplas Cable Seal 7

## **N**

Notox 7, 34

## **O**

One piece strapping tool 55

## **P**

Packaging strapping seal clip 44  
Padlock 49  
PL 17 34  
PL 95 46  
PL 95 for Sealing Clamps 47  
Plastic Buckle 42, 55  
Plastic Pull-Tight Seal - Arrow Seal V3 22  
Polypropylene strapping 43  
Polywedge - Blue 45

## **R**

Residue-Free Security Label 40, 50

Ring Seal (185 mm) 47

## **S**

Seal Nipper Pliers 37, 56

Sealing clamps 37, 56

Sealing Wire - Roll 39, 57

Sealing wire cut lengths 38, 57

Security label - Residue 40, 51

Snap-N-Secure 44

Super Strap 47

Sydex 48

## **T**

Tachograph Seal BP 140-XL PK 5

Tachograph Seal BP 435 5

TIR Cable - 22 Meter 54

Tyden Seal 28, 32

## **U**

Universal Seal - Yellow - 160mm - Customized 58